



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

September 16, 2020

Bret Marshall  
Talent, City of  
P.O. Box 445  
Talent, OR 97540  
TEL: (541) 535-3828  
FAX: (541) 535-5451

RE: Special Bacterias

Order No.: 20090552

Dear Bret Marshall:

Neilson Research Corporation received 23 sample(s) on 9/15/2020 for the analyses presented in the following report.

The results relate only to the parameters tested or to the sample as received by the laboratory. This report shall not be reproduced except in full, without the written approval of Neilson Research Corporation. If you have any questions regarding these test results, please feel free to call.

Sincerely,  
Neilson Research Corporation

Tamra Schmedemann  
Senior Project Manager  
245 S Grape St  
Medford, OR 97501



Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: [www.nrclabs.com](http://www.nrclabs.com)

## Case Narrative

WO#: 20090552  
Date: 9/16/2020

---

**CLIENT:** Talent, City of  
**Project:** Special Bacterias

---

The analyses were performed according to the guidelines in the Neilson Research Corporation Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory.

Neilson Research Corporation certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

---

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-01  
**Client Sample ID** 322 S Pacific Hwy  
**Project:** Special Bacterias  
**Sample Location:** 322 S Pacific Hwy  
**Sample Address:**

**Collection Date:** 9/15/2020 1:49:00 PM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .67

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
<b>TOTAL COLIFORM BACTERIA BY COLILERT</b>						
Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-02  
**Client Sample ID** Kamerin Springs Park  
**Project:** Special Bacterias  
**Sample Location:** Kamerin Springs Park  
**Sample Address:**

**Collection Date:** 9/15/2020 1:34:00 PM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .74

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
----------	--------	--------------	--------	------	-------	-----------------------

**TOTAL COLIFORM BACTERIA BY COLILERT**

Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-03  
**Client Sample ID** 1401 Lithia Way  
**Project:** Special Bacterias  
**Sample Location:** 1401 Lithia Way  
**Sample Address:**

**Collection Date:** 9/15/2020 1:24:00 PM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .75

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
<b>TOTAL COLIFORM BACTERIA BY COLILERT</b>						
Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI Sample container temperature is out of limit as specified at testcode  
 MI Recovery outside control limits due to Matrix Interference  
 PL Permit Limit  
 H Holding times for preparation or analysis exceeded  
 ND Not Detected at the Reporting Limit

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-04  
**Client Sample ID** 416 Alpine Way  
**Project:** Special Bacterias  
**Sample Location:** 416 Alpine Way  
**Sample Address:**

**Collection Date:** 9/15/2020 1:20:00 PM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .71

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
<b>TOTAL COLIFORM BACTERIA BY COLILERT</b>						
Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited, ORELAP 100016, OR-028



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-05  
**Client Sample ID** 300 Blackberry Ct  
**Project:** Special Bacterias  
**Sample Location:** 300 Blackberry Ct  
**Sample Address:**

**Collection Date:** 9/15/2020 1:03:00 PM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .70

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
----------	--------	--------------	--------	------	-------	-----------------------

**TOTAL COLIFORM BACTERIA BY COLILERT**

Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-06  
**Client Sample ID** 140 Timbers Lane  
**Project:** Special Bacterias  
**Sample Location:** 140 Timbers Lane  
**Sample Address:**

**Collection Date:** 9/15/2020 12:55:00 PM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .74

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
----------	--------	--------------	--------	------	-------	-----------------------

**TOTAL COLIFORM BACTERIA BY COLILERT**

Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028





Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-07  
**Client Sample ID** 295 Meadowslope  
**Project:** Special Bacterias  
**Sample Location:** 295 Meadowslope  
**Sample Address:**

**Collection Date:** 9/15/2020 12:40:00 PM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .72

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
----------	--------	--------------	--------	------	-------	-----------------------

**TOTAL COLIFORM BACTERIA BY COLILERT**

Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-08  
**Client Sample ID** 604 Talent Ave  
**Project:** Special Bacterias  
**Sample Location:** 604 Talent Ave  
**Sample Address:**

**Collection Date:** 9/15/2020 12:31:00 PM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .69

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
<b>TOTAL COLIFORM BACTERIA BY COLILERT</b>						
Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-09  
**Client Sample ID** 156 Max Loop  
**Project:** Special Bacterias  
**Sample Location:** 156 Max Loop  
**Sample Address:**

**Collection Date:** 9/15/2020 11:37:00 AM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .54

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
----------	--------	--------------	--------	------	-------	-----------------------

**TOTAL COLIFORM BACTERIA BY COLILERT**

Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-10  
**Client Sample ID** 522 Luis J Ave  
**Project:** Special Bacterias  
**Sample Location:** 522 Luis J Ave  
**Sample Address:**

**Collection Date:** 9/15/2020 11:30:00 AM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .62

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
<b>TOTAL COLIFORM BACTERIA BY COLILERT</b>						
Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-11  
**Client Sample ID** 517 Bell Rd  
**Project:** Special Bacterias  
**Sample Location:** 517 Bell Rd  
**Sample Address:**

**Collection Date:** 9/15/2020 11:25:00 AM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .70

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
<b>TOTAL COLIFORM BACTERIA BY COLILERT</b>						
Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-12  
**Client Sample ID** Anderson Cr Pump House  
**Project:** Special Bacterias  
**Sample Location:** Anderson Cr Pump House  
**Sample Address:**

**Collection Date:** 9/15/2020 11:12:00 AM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .64

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
----------	--------	--------------	--------	------	-------	-----------------------

**TOTAL COLIFORM BACTERIA BY COLILERT**

Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-13  
**Client Sample ID** 6424 Frost Lane  
**Project:** Special Bacterias  
**Sample Location:** 6424 Frost Lane  
**Sample Address:**

**Collection Date:** 9/15/2020 11:00:00 AM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .67

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
<b>TOTAL COLIFORM BACTERIA BY COLILERT</b>						
Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-14  
**Client Sample ID** Talent Elementary School  
**Project:** Special Bacterias  
**Sample Location:** Talent Elementary School  
**Sample Address:**

**Collection Date:** 9/15/2020 10:50:00 AM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .73

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
<b>TOTAL COLIFORM BACTERIA BY COLILERT</b>						
Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028





Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-15  
**Client Sample ID** Talent Post Office  
**Project:** Special Bacterias  
**Sample Location:** Talent Post Office  
**Sample Address:**

**Collection Date:** 9/15/2020 10:40:00 AM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .79

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
----------	--------	--------------	--------	------	-------	-----------------------

**TOTAL COLIFORM BACTERIA BY COLILERT**

Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-16  
**Client Sample ID** 110 W Main  
**Project:** Special Bacterias  
**Sample Location:** 110 W Main  
**Sample Address:**

**Collection Date:** 9/15/2020 10:24:00 AM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .70

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
----------	--------	--------------	--------	------	-------	-----------------------

**TOTAL COLIFORM BACTERIA BY COLILERT**

Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-17  
**Client Sample ID** 150 Brierwood  
**Project:** Special Bacterias  
**Sample Location:** 150 Brierwood  
**Sample Address:**

**Collection Date:** 9/15/2020 10:15:00 AM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .79

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
<b>TOTAL COLIFORM BACTERIA BY COLILERT</b>						
Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-18  
**Client Sample ID** Beacon Way Space 52  
**Project:** Special Bacterias  
**Sample Location:** Beacon Way Space 52  
**Sample Address:**

**Collection Date:** 9/15/2020 10:04:00 AM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .81

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
<b>TOTAL COLIFORM BACTERIA BY COLILERT</b>						
Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-19  
**Client Sample ID** 300 W Valley View Rd  
**Project:** Special Bacterias  
**Sample Location:** 300 W Valley View Rd  
**Sample Address:**

**Collection Date:** 9/15/2020 9:41:00 AM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .56

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
<b>TOTAL COLIFORM BACTERIA BY COLILERT</b>						
Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-20  
**Client Sample ID** 5595 S Pacific Hwy  
**Project:** Special Bacterias  
**Sample Location:** 5595 S Pacific Hwy  
**Sample Address:**

**Collection Date:** 9/15/2020 9:22:00 AM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .68

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
<b>TOTAL COLIFORM BACTERIA BY COLILERT</b>						
Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-21  
**Client Sample ID** 5811 S Pacific Hwy  
**Project:** Special Bacterias  
**Sample Location:** 5811 S Pacific Hwy  
**Sample Address:**

**Collection Date:** 9/15/2020 9:11:00 AM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .52

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
<b>TOTAL COLIFORM BACTERIA BY COLILERT</b>						
Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-22  
**Client Sample ID** 345 Willow Springs Dr  
**Project:** Special Bacterias  
**Sample Location:** 345 Willow Springs Dr  
**Sample Address:**

**Collection Date:** 9/15/2020 9:00:00 AM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .64

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
<b>TOTAL COLIFORM BACTERIA BY COLILERT</b>						
Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028





Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20090552  
 Date Reported: 9/16/2020

**CLIENT:** Talent, City of  
**Lab ID:** 20090552-23  
**Client Sample ID** 200 Suncrest Rd  
**Project:** Special Bacterias  
**Sample Location:** 200 Suncrest Rd  
**Sample Address:**

**Collection Date:** 9/15/2020 8:49:00 AM  
**Received Date:** 9/15/2020 2:26:00 PM  
**Matrix:** DRINKING WATER  
**PWS #:** 41-00857  
**Source ID:** DIST-A  
**Sample Collector:** JOSH DEHAAN  
**Residual Chlorine:** .62

Analyses	Method	NELAP Status	Result	Qual	Units	Date Analyzed/Analyst
----------	--------	--------------	--------	------	-------	-----------------------

**TOTAL COLIFORM BACTERIA BY COLILERT**

Total Coliform Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK
E. Coli Bacteria	A9223B	A	Absent		P/A	09/15/20 16:41 DJK

**QUALIFIERS**

CI	Sample container temperature is out of limit as specified at testcode	H	Holding times for preparation or analysis exceeded
MI	Recovery outside control limits due to Matrix Interference	ND	Not Detected at the Reporting Limit
PL	Permit Limit		

Original

**NELAP**

NELAP A Accredited. ORELAP 100016, OR-028